



US Patent &amp; Trademark Office

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide



THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used

**mixed language or language neutral or cross language or multi language and intermediate code**

 Found  
 6,085 of  
 134,837
Sort results  
by
Display  
results
☒ [Save results to a Binder](#)
☒ [Search Tips](#)
☐ [Open results in a new window](#)
[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐

# 1 [Component design of retargetable program analysis tools that reuse intermediate representations](#)

James Hayes, William G. Griswold, Stuart Moskovics

June 2000 **Proceedings of the 22nd international conference on Software engineering**Full text available: pdf (123.81 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Interactive program analysis tools are often tailored to one particular representation of programs, making adaptation to a new language costly. One way to ease adaptability is to introduce an intermediate abstraction—an adaptation layer—between an existing language representation and the program analysis tool. This adaptation layer translates the tool's queries into queries on the particular representation. Our experiments with this approach on the StarTool program and ...

**Keywords:** program analysis, retargetability, reuse, software design, software tools

## 2 [Technical correspondence: Language integration in the common language runtime](#)

Jennifer Hamilton

February 2003 **ACM SIGPLAN Notices**, Volume 38 Issue 2Full text available: pdf (974.52 KB) Additional Information: [full citation](#), [abstract](#), [references](#)

The Common Language Runtime (CLR) is language and platform-neutral, and provides the underlying infrastructure for the Microsoft .NET Framework. A key innovation in the CLR is its support for multiple programming languages, enabling programming language integration at the runtime level to a much greater degree than is currently possible.

**Keywords:** common type system, exception handling, intermediate language, language interoperability, metadata, virtual machine

## 3 [Automated support for seamless interoperability in polylingual software systems](#)

Daniel J. Barrett, Alan Kaplan, Jack C. Wileden

October 1996 **ACM SIGSOFT Software Engineering Notes , Proceedings of the 4th ACM SIGSOFT symposium on Foundations of software engineering**, Volume 21 Issue 6Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index](#)

L Number	Hits	Search Text	DB	Time stamp
-	107	(language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1language or cross\$1lin\$5) same hierarch\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 11:07
-	20	((language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1language or cross\$1lin\$5) same hierarch\$5 ) and compil\$5 same (class or type)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 10:59
-	32	((language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1language or cross\$1lin\$5) same hierarch\$5 ) and compil\$5 same (class\$2 or type\$1 or object\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 11:00
-	15	((language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1language or cross\$1lin\$5) same hierarch\$5 ) and compil\$5 same (class\$2 or type\$1 or object\$1) same hierarch\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 11:00
-	61	(language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1language or cross\$1lingual) same hierarch\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 11:24
-	1	((language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1lingual) same hierarch\$5 ) and (microsoft.asn. or omg.asn.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 11:08
-	50	((language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1lingual) same hierarch\$5 ) not (((language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1language or cross\$1lin\$5) same hierarch\$5 ) and compil\$5 same (class\$2 or type\$1 or object\$1) same hierarch\$5 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 11:09
-	36	(((language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1lingual) same hierarch\$5 ) not (((language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1language or cross\$1lin\$5) same hierarch\$5 ) and compil\$5 same (class\$2 or type\$1 or object\$1) same hierarch\$5 )) not (((language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1lingual) same hierarch\$5 ) and compil\$5 same (class\$2 or type\$1 or object\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 11:09

-	0	((((language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1language or cross\$1lingual) same hierarch\$5 ) not ((language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1language or cross\$1lin\$5) same hierarch\$5 ) and compil\$5 same (class\$2 or type\$1 or object\$1) same hierarch\$5 )) not ((language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1language or cross\$1lin\$5) same hierarch\$5 ) and compil\$5 same (class\$2 or type\$1 or object\$1))) not ((language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1language or cross\$1lin\$5) same hierarch\$5 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 11:09
-	42	((language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1language or cross\$1lingual) same hierarch\$5 ) not ((language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1language or cross\$1lin\$5) same hierarch\$5 ) and compil\$5 same (class or type))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 11:10
-	865	(language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1language or cross\$1lingual or multi\$1lingual) and (class\$2 or object\$1 or element\$1) same(tree or tree\$1like or node\$1 or hierarch\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 12:07
-	0	((language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1language or cross\$1lingual or multi\$1lingual) and (class\$2 or object\$1 or element\$1) same(tree or tree\$1like or node\$1 or hierarch\$5) ) and omg.asn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 11:26
-	92	(language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1language or cross\$1lingual or multi\$1lingual) and (class\$2 or object\$1 or element\$1) same(tree or tree\$1like or node\$1 or hierarch\$5) same compil\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 11:50
-	83	(language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1language or cross\$1lingual or multi\$1lingual) same compil\$6 and (class\$2 or object\$1 or element\$1) same(tree or tree\$1like or node\$1 or hierarch\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 12:06
-	344	omg.asn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 12:06
-	0	omg.asn. and corba	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 12:07
-	0	((language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1language or cross\$1lingual or multi\$1lingual) ) and omg.asn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 12:08

-	128	((language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1language or cross\$1lingual or multi\$1lingual) ) and omg	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 12:08
-	43	(language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1language or cross\$1lingual or multi\$1lingual) near5 (intermediate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 12:35
-	7	((language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1language or cross\$1lingual or multi\$1lingual) ) and meyer.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 12:33
-	813	eiffel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 12:33
-	414	eiffel and compil\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 12:33
-	380	(eiffel and compil\$5) and (hierarch\$6 or tree or tree-like)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 12:34
-	376	((eiffel and compil\$5) and (hierarch\$6 or tree or tree-like)) not ((language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1language or cross\$1lin\$5) same hierarch\$5 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 12:34
-	376	((eiffel and compil\$5) and (hierarch\$6 or tree or tree-like)) not ((language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1language or cross\$1lin\$5) same hierarch\$5 )) not ((language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1language or cross\$1lingual) same hierarch\$5 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 12:34
-	340	((eiffel and compil\$5) and (hierarch\$6 or tree or tree-like)) not ((language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1language or cross\$1lin\$5) same hierarch\$5 )) not ((language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1language or cross\$1lingual) same hierarch\$5 )) and encapsulat\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 12:34
-	323	((eiffel and compil\$5) and (hierarch\$6 or tree or tree-like)) not ((language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1language or cross\$1lin\$5) same hierarch\$5 )) not ((language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1language or cross\$1lingual) same hierarch\$5 )) and encapsulat\$5 near6 (element\$1 or object\$3 or unit\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 12:35

-	323	(((((eiffel and compil\$5) and (hierarch\$6 or tree or tree-like)) not ((language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1language or cross\$1lin\$5) same hierarch\$5 )) not ((language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1language or cross\$1lingual) same hierarch\$5 )) and encapsulat\$5 near6 (element\$1 or object\$3 or unit\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/03 12:35
-	46	(language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1language or cross\$1lingual or multi\$1lingual) and (((eiffel and compil\$5) and (hierarch\$6 or tree or tree-like)) not ((language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1language or cross\$1lin\$5) same hierarch\$5 )) not ((language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1language or cross\$1lingual) same hierarch\$5 )) and encapsulat\$5 near6 (element\$1 or object\$3 or unit\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 08:59
-	309462	((mix\$4 or several or plural\$3 or multiple) near3 (language\$1 or java or C++ or C) or language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1language or cross\$1lingual or multi\$1lingual)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 09:02
-	1458	((mix\$4 or several or plural\$3 or multiple) near3 (language\$1 or java or C++ or C) or language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1language or cross\$1lingual or multi\$1lingual) and (intermediate near2 (code or representation or element\$1 or language or IL))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:57
-	135	((mix\$4 or several or plural\$3 or multiple) near3 (language\$1 or java or C++ or C) or language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1language or cross\$1lingual or multi\$1lingual) and (intermediate near2 (code or representation or element\$1 or language or IL)) and signature	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 09:20
-	1	"09388176"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 09:15
-	38	((mix\$4 or several or plural\$3 or multiple) near3 (language\$1 or java or C++ or C) or language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1language or cross\$1lingual or multi\$1lingual) and (intermediate near2 (code or representation or element\$1 or language or IL)) and microsoft.asn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/08 09:30

-	314	((mix\$10 or several or plural\$3 or multiple) near3 (language\$1 or java or C++ or C)) or language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1language or cross\$1lingual or multi\$1lingual) and microsoft.asn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:40
-	214	((mix\$4 or several or plural\$3 or multiple) near3 (language\$1 or java or C++ or C) or language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1language or cross\$1lingual or multi\$1lingual) same (intermediate near2 (code or representation or element\$1 or language or IL))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 16:30
-	204	((mix\$4 or several or plural\$3 or multiple) near3 (language\$1 or java or C++ or C) or language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1language or cross\$1lingual or multi\$1lingual) same (intermediate near2 (code or representation or element\$1 or language or IL))) not (((mix\$10 or several or plural\$3 or multiple) near3 (language\$1 or java or C++ or C)) or language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1language or cross\$1lingual or multi\$1lingual) and microsoft.asn.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 15:40
-	6	"5940621"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 15:40
-	1917	gustafsson.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 16:31
-	2	gustafsson.in. and instantations.asn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 16:32
-	2	instantations.asn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 16:32
-	226	hamby.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 16:40
-	16	ASYMETRIX.asn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 17:16
-	58	"4802165"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 17:16

-	0	(language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1language or cross\$1lingual or multi\$1lingual) and "1367741"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 18:47
-	469	((mix\$10 or several or plural\$3 or multiple or different) near3 (language\$1 or java or C++ or C) or language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1language or cross\$1lingual or multi\$1lingual) and microsoft.asn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 18:48
-	1	((mix\$10 or several or plural\$3 or multiple or different) near3 (language\$1 or java or C++ or C) or language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1language or cross\$1lingual or multi\$1lingual) ) and "1367741"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 18:50
-	29	"0188402"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 19:10
-	3518	((mix\$10 or several or plural\$3 or multiple or different) near3 (language\$1 or java or C++ or C) or language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1language or cross\$1lingual or multi\$1lingual) ) and object with model\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 19:15
-	2394	((mix\$10 or several or plural\$3 or multiple or different) near3 (language\$1 or java or C++ or C) or language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1language or cross\$1lingual or multi\$1lingual) ) and object with model\$1 and class	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 19:16
-	757	((mix\$10 or several or plural\$3 or multiple or different) near3 (language\$1 or java or C++ or C) or language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1language or cross\$1lingual or multi\$1lingual) ) and object with model\$1 and class) and assembly	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 19:16
-	728	((mix\$10 or several or plural\$3 or multiple or different) near3 (language\$1 or java or C++ or C) or language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1language or cross\$1lingual or multi\$1lingual) ) and object with model\$1 and class) and assembly) and interface	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 19:16
-	112	((mix\$10 or several or plural\$3 or multiple or different) near3 (language\$1 or java or C++ or C) or language\$2neutral or "language neutral" or language\$2independent or "language independent" or cross\$1language or cross\$1lingual or multi\$1lingual) ) and meta\$1data) and 717/.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/10 08:28